


Accessories Splice Plates

Aluminum Cable Tray

Snap-In Splice Plate




Designed to lock into place for easy alignment and installation.

Packaged in pairs with zinc plated hardware.

Provided as standard with each straight and/or fitting.

Catalogue Number	Material	Siderail Height
ABW-4-SSP	Aluminum	4"
ABW-5-SSP		5"
ABW-6-SSP		6"
ABW-7-SSP		7"

Snap-In Expansion Splice Plate





Allows for a 1" expansion or contraction of tray system.

Packaged in pairs with zinc plated hardware.

Catalogue Number	Material	Siderail Height
ABW-4-ESP	Aluminum	4"
ABW-5-ESP		5"
ABW-6-ESP		6"
ABW-7-ESP		7"

Horizontal Adjustable Plate




Adjustable hinge plates provide maximum horizontal installation flexibility.

Furnished in pairs with hardware.

Catalogue Number	Material	For Tray Widths
ABW(*)06HAP	Aluminum	6"
ABW(*)09HAP		9"
ABW(*)12HAP		12"
ABW(*)18HAP		18"
ABW(*)24HAP		24"
ABW(*)30HAP		30"
ABW(*)36HAP		36"
ABW(*)42HAP		42"

(*) Insert Siderail Height.

Vertical Adjustable Plate



Hinged vertical plates provide maximum flexibility for changes in elevation.


Furnished in pairs with hardware.

Catalogue Number	Material	Siderail Height
ABW-4-VSP	Aluminum	4"
ABW-5-VSP		5"
ABW-6-VSP		6"
ABW-7-VSP		7"

Aluminum Cable Tray

Accessories Splice Plates

Box to Tray Plates




Designed to secure tray to electrical panels or boxes, walls or end supports.

Furnished in pairs with hardware.

Catalogue Number	Material	Siderail Height
ABW-4-BSP	Aluminum	4"
ABW-5-BSP		5"
ABW-6-BSP		6"
ABW-7-BSP		7"

Closure End Plate





Provides closure for any tray end.

Packaged with hardware.

Catalogue Number	Material	Siderail Height	Widths of Tray
ABW-4(*)-CEP	Aluminum	4"	06"
ABW-5(*)-CEP		5"	09"
ABW-6(*)-CEP		6"	12"
ABW-7(*)-CEP		7"	18"
			24"
			30"
			36"

(*) Insert width of Tray.

Reducing Splice Plate



Used in pairs to provide a straight reduction or used with a standard splice plate for an offset reduction.



Packaged with hardware.

Catalogue Number	Material	Siderail Height
ABW-4(*)-RSP	Aluminum	4"
ABW-5(*)-RSP		5"
ABW-6(*)-RSP		6"
ABW-7(*)-RSP		7"

NOTE: (*) For offset reduction: insert width to be reduced
For straight reduction: insert 1/2 width to be reduced (2 required)

Example: ABW-403-RSP = 3" offset reducer.

Step Down Splice Plate



Connects siderails of different heights.

Hardware included.

Catalogue Number	Material	Siderail Height
ABW(*)(**)SDS	Aluminum	4"
		5"
		6"
		7"

(*) Siderail Height 1

(**) Siderail Height 2


NOTE: Siderail Height 1 is greater than Siderail Height 2.

T&B aluminum cable tray is composed of two distinct systems H-Style and U-Style. These systems are interchangeable.

Aluminum Cable Tray

Accessories

Standard Hold Down Clamp



Designed for most indoor installations.
Easy to use and install.
Order 3/8" hardware separately.



Catalogue Number	Material
------------------	----------

SPW-SHC	Zinc Plated Steel
SSW-SHC	316 Stainless

Combination Hold Down / Expansion Guide Clamp




Order 3/8" hardware separately.



Catalogue Number	Material
------------------	----------

ABW-HEC	Aluminum
---------	----------

Aluminum Tray Hardware




Square shoulder self-positioning carriage bolt.

Catalogue Number	Material	Description
------------------	----------	-------------

SPW-1/4-CB	Zinc Plated Steel	1/4" Carriage Bolt
SPW-3/8-CB	Zinc Plated Steel	3/8" Carriage Bolt
SPW-1/4-HN	Zinc Plated Steel	1/4" Hex. Nut
SPW-3/8-HN	Zinc Plated Steel	3/8" Hex. Nut
SSW-3/8-CB	316 Stainless	3/8" Carriage Bolt
SSW-3/8-HN	316 Stainless	3/8" Hex. Nut
SSW-3/8-HWK*	316 Stainless	316 Stainless Steel Hardware Kit

* Contains 8 bolts, 8 nuts and 8 lockwashers.

Self-Drilling – Tapping Screw




Catalogue Number	Material	Description
------------------	----------	-------------

SPW-10-SCR	Zinc Plated Steel	Self-Drilling – Tapping Screw
------------	-------------------	-------------------------------

Aluminum Cable Tray

Accessories Cable Protection

Drop-Out



Designed to provide a smooth radiused surface at any position on the tray or trough bottom.

Drop-Outs are easily attached using hardware provided.

Standard radius 4".

Catalogue Number	Description / Material	Widths of Tray
ABW(*)DO	For ladder and ventilated tray / Aluminum	06"
		09"
		12"
		18"
ABW(*)DOS	For solid tray / Aluminum	24"
		30"
		36"

(*) Insert Width of Tray

Wall Penetration Sleeve



Designed to pass through walls and fire walls.

Hardware included.


IMPORTANT:
Not fire rated.
Fire stop not included.

Catalogue Number	Material	Siderail Height	Widths of Tray
ABW(*)(**)WPS	Aluminum	4"	06"
		5"	09"
		6"	12"
		7"	18"
			24"
			30"
	36"		

(*) Insert Siderail Height

(**) Insert Width of Tray

Frame Type Tray to Box Plate



Designed to secure tray to electrical enclosures and panels.


Hardware included.

Catalogue Number	Material	Siderail Heights	Widths of Tray
ABW(*)(**)FBP	Aluminum	4"	06"
		5"	09"
		6"	12"
		7"	18"
			24"
			30"
	36"		

(*) Insert Siderail Height

(**) Insert Width of Tray

Nylon Expansion Pad



Allows for thermal expansion and contraction of cable trays over supports.


Catalogue Number	Material
ABW-NSP	Natural Nylon

T&B aluminum cable tray is composed of two distinct systems H-Style and U-Style. These systems are interchangeable.

Accessories Barrier Strips

Aluminum Cable Tray

Barrier Strips




Aluminum barrier strips provide a method of separating cables in tray and trough systems. Easily installed using supplied hardware.

72" barriers are flexible for use with horizontal fittings.

Catalogue Number	Siderail Height	Length
ABW-4-SBH-72	4"	72"
ABW-5-SBH-72	5"	
ABW-6-SBH-72	6"	
ABW-7-SBH-72	7"	
ABW-4-SB-(*)	4"	144"
ABW-5-SB-(*)	5"	3m
ABW-6-SB-(*)	6"	
ABW-7-SB-(*)	7"	

NOTE: 72" barriers provided with 3 SPW10SCR
144", 3m barriers provided with 6 SPW10SCR
(*) Insert length

Inside / Outside Vertical Bend Barriers




Preformed to fit all standard aluminum vertical bends.

Provided with hardware.

Inside Bend Catalogue Number	Outside Bend Catalogue Number	Siderail Height
AUW(*)VIB-(**)-(+) / AUW(*)VIB-(**)-(+) / AUW(*)VIB-(**)-(+) / AUW(*)VIB-(**)-(+)	AUW(*)VOB-(**)-(+) / AUW(*)VOB-(**)-(+) / AUW(*)VOB-(**)-(+) / AUW(*)VOB-(**)-(+)	4" / 5" / 6" / 7"
AHW(*)VIB-(**)-(+) / AHW(*)VIB-(**)-(+) / AHW(*)VIB-(**)-(+) / AHW(*)VIB-(**)-(+)	AHW(*)VOB-(**)-(+) / AHW(*)VOB-(**)-(+) / AHW(*)VOB-(**)-(+) / AHW(*)VOB-(**)-(+)	4" / 5" / 6" / 7"

(**) Insert Bend Angle (+) Insert Bend Radius (*) Insert Siderail Height.

Barrier Strip Clamp




Alternate mounting method for barrier strip mounting.

Barrier strip clamps mount barrier strips to ladder rungs and ventilated bottoms.

Complete mounting hardware supplied.

Catalogue Number	Material
SPW-BSC	Zinc Plated Steel
SSW-BSC	Stainless Steel 316

Barrier Strip Splice



Alignment splice for joining connecting barrier strips.

Catalogue Number	Material
ABW-BSS	Plastic

Aluminum
Accessories

Aluminum Cable Tray

Accessories

Cable Tray Guide





Expansion guide for single or double runs of cable tray.

No need to field drill of channel or I-beam.

Catalogue Number	Material
------------------	----------

SPW-CTG	Zinc Plated Steel
SHW-CTG	Steel Hot Dip

Cable Tray Clamp



Clamps for single run of cable tray.

No need to field drill the channel or I-beam.

Catalogue Number	Material
------------------	----------

SPW-CTC	Zinc Plated Steel
SHW-CTC	Steel Hot Dip

Vertical Tray Hanger




Catalogue Number	Material	Siderail Height
------------------	----------	-----------------

ABW(*)VTH	Aluminum	4"
		5"
		6"
		7"

* Insert siderail height

Hold Down Clamp



Designed to secure cable tray to support system.

Catalogue Number	Material	Siderail Height
------------------	----------	-----------------

ABW(*)HDC	Aluminum	4"
		5"
		6"
		7"

Note: Hardware included
(*) Insert siderail height.

T&B aluminum cable tray is composed of two distinct systems H-Style and U-Style. These systems are interchangeable.